

CargoMaster

The Stair Climber for Professionals

www.cargomaster.org



ldeen bewegen mehr

AAT Alber Antriebstechnik GmbH is the manufacturer of mobile, flexible and manageable stair climbing systems and supplementary power systems in the field of rehabilitation and transportation technology.

All products by AAT are conceived as user-oriented highly effective solutions, which persuade in terms of innovative technology and top quality. The brand AAT stands for customer satisfaction, high quality, innovation and trust.

With the slogan "Ideen bewegen mehr" (Ideas move you) AAT makes a promise to you and high demands on itself.

Years of experience in the field of rehabilitation and transportation technology are responsible for the reliability of the products. Highly motivated and committed employees make an essential and profound contribution to the quality of the products.

For AAT the location in Germany is one of the essential aspects of its philosophy. To be able to react quickly and flexibly to customer demands, AAT values the origin of the suppliers' parts. Therefore the great majority of suppliers are located in Germany, most often in close vicinity.

The credo to help people lies at the center of each new development. This opens new areas for the realization of original and creative ideas, implemented by the newest insights in science and research.

AAT products are subject to a continuous process of improvement to live up to the fast changes of today. They stand out due to security, versatility and comfort.

CargoMaster

The Stair Climber for Professionals

CargoMaster CC200

The newest generation of stair climber

The CC series is the newest development of stairclimbers at AAT. Due to the numerous technical novelties such as the **ComfortStep** or the multi-level battery display, the CC series sets new standards concerning handling and ease of use.

Because of the patented and standard **ComfortStep** even sensitive loads can be transported. The **ComfortStep** convinces by quietly and softly touching down on the step making it an indispensable aid for the transportation of even highly sensitive loads.

The integrated battery display informs you at all timnes on the actual charging capacity and offers the user maximum safety.

Due to the well-tried AAT brake, which stops automatically at the edge of a step, the CC series becomes your reliable partner for any type of transportation problem.

Advantages that convince

- Safe transportation of loads up to 200 kg
- **ComfortStep** for easy and gentle climbing
- Integrated, multi-levelled battery display









Safe and with little physical effort —

The CargoMaster is not only powerful, but also quick

Because of its lean design yet sturdy construction, the CC series lends itself particularly well to be used in manufacturing, trade, and business.

You can easily transport bulky goods such as grinding machines, linoleum spools, or wood-burning stoves up to 200 kg.

Even on narrow stairs you can rely on the CargoMaster. Its safe climbing mechanism conquers even spiral staircases, plus it can be used on virtually any surface. The edges of steps are not damaged. The CargoMaster is very versatile and can handle optimally the most diverse situations of transportation. One battery charge lasts up to 30 levels.

The CargoMaster's climbing speed can be adjusted continuously. The safety brakes stop automatically at each step's edge. Adjustments on the stairs are thus possible at all times. Thanks to the standard single step mode even very narrow staircases can be climbed safely.


Due to its low empty weight, the CargoMaster can be taken anywhere without problem. You can store it tightly in your car by inserting the grips and folding up the blade.



Battery display, single step control and ComfortStep



Continuously adjustable climbing speed



The reliable climbing mechanism safely manages each step

CargoMaster CC200 —

That's the way you transport things today

Either as a stair climber or a push cart, the CargoMaster is a transportation aid on stairs as well as on level ground.

The powerful electric drive is fed by a battery, which can be charged with a power supply?

The tires made of solid rubber are puncture-proof—also under long-term stress of the wheels. The driving comfort is comparable to that of pneumatic tires. As an option, various pneumatic tires are available.

Its low empty weight and easy handling make the CargoMaster an indispensable aid.

Inside or outside — the CargoMaster is a strong partner in any type of environment.

The CC series of the CargoMaster includes the CC160 with a lifting power of 160 kg, and the CC200, which is capable of lifting up to 200 kg.

For special challenges, there is a great variety of accessories to equip your CargoMaster optimally for individual tasks of transportation.













The CargoMaster CC160 —

An all-rounder because of intelligent accessories

Due to a great variety of accessories, the CargoMaster can be adjusted to the respective, individual problem of transportation.

With completely inserted grips the CargoMaster CC160 only has a pack size of 1065x466x290mm. Thus, it can be stored without problem in smaller transportation vehicles or even in your private car.

In addition to all the advantages of the CC-series, the grips can also be adjusted in height and inclination. Thus, this flexible device can be adjusted to the user's height, and the respective load's center of gravity can also be adjusted.






More information and videos, see

www.cargomaster.org

Standard equipment

The delivery package includes a stair climber (CC 160 or CC200), plus a battery pack with locking device, puncture-proof tires, a standard blade, charger, and lashing strap.







Front plate

Made of safety plexiglass to protect the goods from sliding through or from scratching.



Auxiliary stairs made of steel, takes a load of up to 350 kg or for particularly heavy loads, up to 500 kg

Thanks to these stairs you can comfortably load and unload your transporter, trailer, or transportation vehicle. Boot sills between 480mm - 900mm in height are possible. If your vehicle has a tow-bar you need the auxiliary stairs with an extended support.



Back wall

Made of aluminum with a felt cover to protect the goods from sliding through and from scratching..



Support for round containers

With a diameter of approximately 150 - 800 mm to protect round goods. Easy assembly by popping it on.



Battery pack

Additional battery pack for continuous operation..



Pneumatic tires

black



Pneumatic tires

grey



Support for white goods



Charger

Additional charger.

Item number		CC	160	CC200		
Back wall		100674				
Support for white goods		100673				
Lock for plate		100611				
Front plate		100	612	100614		
Battery pack		100610				
Charger		100027				
Charging cable for the car	12 V	100022				
	24 V	100024				
Pneumatic tires	black (extra charge)	100462				
	grey (extra charge)	100519				
Support for round containers		100012				
Extended climbing height	0,5 cm	100670				
	1,5 cm	100671				
Extended grips + 20 cm (extra charge)		100616				
Auxiliary stairs	steps	3 steps	4 steps	5 steps		
	regular support	100017	100018	100126		
	extended support	100325	100326	100522		
Auxiliary stairs for extra heavy loads	extended support	104089	104004	104118		
_						



Charging cable for the car

Available in 12 V or 24 V




Lock of the toe plate



Extended grips

20 cm longer than standard grips



Extended climbing height

Extension by 0.5cm / 1.5cm

Toe plate variety

CargoMaster CC160/CC200

Choose the appropriate toe plate for your personal transportation situation from the variety we offer.


We are happy to create and produce special plates for your particular demands.

Item number	CC160	CC200		
Observed and two relates 210 to OFO to O20 to one	included in the delivery package	-		
Standard toe plate 310 x 250 x 230 mm	additional		1608	
Toe plate 440 x 240 mm	instead of standard version (extra charge)	100662		
Too plate 110 X 2 10 Hilli	additional	100663		
Toe plate 600 x 120 mm	instead of standard version (extra charge)	sion 100664		
100 plate 600 x 120 mm	additional	100664 100665	0665	
Toe plate 400 x 440 mm	instead of standard version (extra charge)	100666		
	additional	100	100667	
Toe plate to hook on 430 x 405 mm		100668		
Toe plate for a laundry cart		100669		


Standard toe plate 310 x 250 x 230 mm




Toe plate 440 x 241 mm




Toe plate 400 x 440 mm



Toe plate to hook on 430 x 405 mm





ComfortStep

Comfortable and low-vibration handling of loads

ComfortStep was designed for the stair climbers CC160 and CC200. Revolutionized the previous climbing cinematics of stair climbers.

Due to the extremely soft touch down on the next step even particularly sensitive goods can be transported comfortably and with low vibration.

ComfortStep is a standard feature and works in single step mode as well as in the continuous climbing mode.



the CargoMaster A-sytsem and C-system correspond to the Guidelines 2006/42/EG of the European Community.

The company AAT Alber Antriebstechnik GmbH is licensed for DIN EN ISO 9001.2008

Technical data	A142	A350	C141	C141 Vario	CC160	CC200	C400	Vario-max
Lifting capacity	140 kg	350 kg	140 kg	140 kg	170 kg	200 kg	400 kg	170 kg / 160 kg *
ComfortStep	-	-	-	-	•	•	-	-
Battery display	-	-	-	-	•	•	-	-
Climbing speed / steps per minute (continually adjustable)	8 — 25	4 — 10	8 — 30	8-30	9 — 26	4 — 19	3-8	8 — 23
Range with one charge of the battery (Floors, depending on load)	30 — 50 Corresponds to: 80 kg approx. 1110 Steps 140 kg approx. 720 Steps	15 — 30 Corresponds to: 200 kg approx. 650 Steps 250 kg approx. 540 Steps 350 kg approx. 330 Steps	15 — 30	15 — 30	15 — 30	15 — 30	8 — 15	10 — 25
Height	1100 - 1700 mm	1195-1785 mm	1380 mm	1060 — 1400 mm	1065 — 1490 mm	1065 — 1490 mm	1512 mm	1060 — 1400 mm
Width	580 mm	590 mm	450 mm		466 mm	466 mm	564 mm	450 mm
Depth	470 mm	520 mm	300 mm		290 mm		782 mm	550 mm
Batteries	2 x 12 V / 7,2 Ah			2 x 12 V / 5 Ah				
DC motor	24 V							
Weight, battery pack	6 kg				4,1 kg			
Total weight (including battery pack)	32 kg	46 kg	25,5 kg	26,7 kg	28,5 kg	29,9 kg	84,3 kg	35 kg

^{*}Maximum lifting capacity (passenger transportation)